

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(rout\$3 with translat\$3 with address).ab. and "709"/\$.ccls	US-PGPUB; USPAT	OR	ON	2005/11/10 08:47
L3	34	(rout\$3 with translat\$3 with address).ab. and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/10 08:47
L4	3004	((destination or local) near2 address )with ( translat\$3 or modify\$3 or chang\$3 or transform\$3 or remov\$3 or replac\$3) and ("370"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/10 08:48
L5	277	(message with control\$3 with manage\$5) and (translat\$3 with address) and (rout\$3 with ip ) and ("370"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/11/10 08:53
L6	2	(loop-back or (loop adj1 back)) with address with (firewall or proxy) and ("370"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/10 08:54
L7	0	( (loop adj back) or loopbacK ) near2 address and ("370"/\$.ccls. and "709"/\$.ccls)	US-PGPUB; USPAT	OR	ON	2005/11/10 08:55
L8	0	( (loop adj back) or loopbacK ) with address and ("370"/\$.ccls. and "709"/\$.ccls)	US-PGPUB; USPAT	OR	ON	2005/11/10 08:55
L9	66	((source or foreign) adj2 address )with ((loop ajd1 back) or loopback) with (translat\$3 or chang\$3 or modify\$3 or map\$3 or replac\$3 ) and ("709"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/10 08:56
L10	11	((destination or local or external) near2 address )with ( translat\$3 or modify\$3 or chang\$3 or transform\$3 or remov\$3 or replac\$3) with ((loop adj1 back) or loopback) and ("709"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/10 08:57
S1	1	("20010052029").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/16 13:10
S2	2342	ingress with port	US-PGPUB; USPAT	OR	ON	2004/08/16 13:10
S3	1648	(ingress with port) and (egress with port)	US-PGPUB; USPAT	OR	ON	2004/08/16 13:11
S4	108	((ingress with port) and (egress with port)).ab.	US-PGPUB; USPAT	OR	ON	2004/08/16 14:13

S5	663	rout\$3 and translat\$3 and address and ingress and egress and port	US-PGPUB; USPAT	OR	ON	2004/08/16 14:14
S6	0	(rout\$3 and translat\$3 and address and ingress and egress and port).ab.	US-PGPUB; USPAT	OR	ON	2004/08/16 14:14
S7	31	(rout\$3 with translat\$3 with address) and( ingress with port ) and (egress with port)	US-PGPUB; USPAT	OR	ON	2004/08/16 15:20
S8	0	((rout\$3 with translat\$3 with address) and( ingress with port ) and (egress with port)).ab.	US-PGPUB; USPAT	OR	ON	2004/08/16 15:21
S9	111	(rout\$3 with translat\$3 with address).ab.	US-PGPUB; USPAT	OR	ON	2005/11/10 08:47
S10	20	(rout\$3 with translat\$3 with address with ip).ab.	US-PGPUB; USPAT	OR	ON	2004/08/16 15:53
S11	21	"6058431".URPN.	USPAT	OR	ON	2004/08/16 15:27
S12	2	"6457061".URPN.	USPAT	OR	ON	2004/08/16 15:33
S13	11	("5636216"   "5740171"   "5793763"   "5940376"   "6006272"   "6055236"   "6038233"   "6058431"   "6065064"   "6128664"   "6154839").PN.	USPAT	OR	ON	2004/08/16 15:34
S14	1442181	internal with address with loop back	US-PGPUB; USPAT	OR	ON	2004/08/16 15:54
S15	16	internal with address with loop with back	US-PGPUB; USPAT	OR	ON	2004/08/16 15:55
S16	52	loop adj back adj address	US-PGPUB; USPAT	OR	ON	2005/11/02 06:07
S17	3	loop with back with address with indicator	US-PGPUB; USPAT	OR	ON	2004/08/16 17:10
S18	1	"20010052029" and (loop with back)	US-PGPUB; USPAT	OR	ON	2004/08/16 17:11
S19	1	"20010052029" and (loop with back) and identifier	US-PGPUB; USPAT	OR	ON	2004/08/16 17:30
S20	5430	(loop with back) and identifier	US-PGPUB; USPAT	OR	ON	2004/08/16 17:30
S21	4	loop with back with identifier with address	US-PGPUB; USPAT	OR	ON	2004/08/16 17:32
S22	147	loop with back with indicator	US-PGPUB; USPAT	OR	ON	2004/08/16 17:32
S23	3	loop with back with indicator with address	US-PGPUB; USPAT	OR	ON	2004/08/16 17:33
S24	3	loop with back with indicato\$3 with address	US-PGPUB; USPAT	OR	ON	2004/08/16 17:33

S25	4	loop with back with indicato\$3 with address\$5	US-PGPUB; USPAT	OR	ON	2004/08/16 17:36
S26	1	"6058431".pn. and control\$3	US-PGPUB; USPAT	OR	ON	2004/08/16 17:39
S27	1	"6457061".pn. and control\$3	US-PGPUB; USPAT	OR	ON	2004/08/16 17:42
S28	5952	message with control\$3 with manage\$5	US-PGPUB; USPAT	OR	ON	2004/08/16 17:42
S29	573	(message with control\$3 with manage\$5) and (translat\$3 with address)	US-PGPUB; USPAT	OR	ON	2004/08/16 17:43
S30	284	(message with control\$3 with manage\$5) and (translat\$3 with address) and (rout\$3 with ip )	US-PGPUB; USPAT	OR	ON	2004/08/16 17:43
S31	284	(message with control\$3 with manage\$5) and (translat\$3 with address) and (rout\$3 with ip )	US-PGPUB; USPAT	OR	ON	2005/11/10 08:48
S32	2	("6457061").URPN.	USPAT	OR	ON	2005/03/11 17:12
S33	11	("5636216"   "5740171"   "5793763"   "5940376"   "6006272"   "6038233"   "6055236"   "6058431"   "6065064"   "6128664"   "6154839").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/11 21:11
S34	1	("6128298").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/11 21:11
S35	37	("6128298").URPN.	USPAT	OR	ON	2005/03/11 21:20
S36	28	(source with address with translat\$3 with internal)	USPAT	OR	ON	2005/03/11 21:20
S37	1	("6480494").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/08 14:20
S38	2	("6457061").PN.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/11/01 06:15
S39	160774	(ip or (internet adj1 protocol))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 06:16
S40	40519	(ip or (internet adj1 protocol)) near2 address\$3	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 06:17
S41	3065	S40 with (translat\$3 )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 06:18

S42	631	S40 with (translat\$3 ) with (source or destination)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 06:17
S43	324	S41 with (internal or external)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 06:19
S44	261	internal with translat\$3 with address with (ip or (internet adj1 protocol))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 06:21
S45	2	("20010052029").PN.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/11/01 06:21
S46	1	"20010052029".pn. and (loop adj1 back)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 06:23
S47	247	(loop adj2 back) near3 address\$3	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 06:24
S48	5	S47 with translat\$3	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 06:23
S49	217	(loop-back or (loop adj1 back)) near3 address	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 10:48
S50	5	S49 with (translat\$3 or chang\$3 or modif\$3 or transform\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 09:19
S51	99	(loop-back or (loop adj1 back)) adj2 address	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 10:52
S52	1	(loop-back or (loop adj1 back)) with address with (firewall or proxy)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 10:48
S53	4	(loop-back or (loop adj1 back)) with address with (firewall or proxy)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/10 08:53

S54	3	S49 same (firewall or proxy)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 10:51
S55	103238	(nat or (network\$3 adj1 address adj1 translation))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:27
S56	1	S55 same S49	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 10:52
S57	24410	(loop-back or (loop adj1 back))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 10:54
S58	9	S55 same S57	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 10:53
S59	246	S55 and S57	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 10:53
S60	17	S55 and S49	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:03
S61	4	(loop adj1 back) with space with address	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:06
S62	52	(nat or (network\$3 adj1 address adj1 translation)) with packet with (node or port )with (ingress or internal or incoming)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:08
S63	2550	((source or foreign) adj2 address )with ( translat\$3 or modify\$3 or chang\$3 or transform\$3 or remov\$3 or replac\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 06:08
S64	4729	((destination or local) adj2 address )with ( translat\$3 or modify\$3 or chang\$3 or transform\$3 or remov\$3 or replac\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 06:08
S65	1592	S63 and S64	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:31

S66	445	S55 and S65	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:30
S67	1311	S63 same S64	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:31
S68	372	S67 and S55	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:40
S69	329	S68 and (rout\$3 and (port or node))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:33
S70	298	S68 and (rout\$3 with (message or packet Or data) ) and (port or node)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:34
S71	315	S68 and (rout\$3 with (message or packet Or data) )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:37
S72	213	S67 same S55	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:34
S73	185	S72 and (rout\$3 with (message or packet Or data) )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:35
S74	569874	(incom\$3 or ingress or receiv\$3 ) near3 (message or data or packet )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:38
S75	549	S67 same S74	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:36
S76	96729	S74 and (rout\$3 with (message or packet Or data) )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:38
S77	66002	(incom\$3 or ingress or receiv\$3 ) with (message or data or packet ) with (port or node )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:38

S78	242	S67 same S77	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:39
S79	26958	S77 and (rout\$3 with (message or packet Or data) )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:39
S80	242	S67 same S78	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:39
S81	210	S78 and (rout\$3 with (message or packet Or data) )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:51
S82	213	S67 same S55	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:42
S83	30	S82 same S77	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 11:42
S84	1	"6886103".pn. and (foreign adj address)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/01 13:37
S85	310	( (loop adj back) or loopbacK ) near2 address	US-PGPUB; USPAT	OR	ON	2005/11/02 06:07
S86	2938	((source or foreign) near2 address )with ( translat\$3 or modify\$3 or chang\$3 or transform\$3 or remov\$3 or replac\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 06:08
S87	5574	((destination or local) near2 address )with ( translat\$3 or modify\$3 or chang\$3 or transform\$3 or remov\$3 or replac\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/10 08:47
S88	1762	S86 and S87	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 06:08
S89	25	S88 and S85	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 06:09
S90	310	( (loop adj back) or loopbacK ) near2 address	US-PGPUB; USPAT	OR	ON	2005/11/10 08:55

S91	2550	((source or foreign) adj2 address )with ( translat\$3 or modify\$3 or chang\$3 or transform\$3 or remov\$3 or replac\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 09:47
S92	5574	((destination or local) near2 address )with ( translat\$3 or modify\$3 or chang\$3 or transform\$3 or remov\$3 or replac\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 09:52
S93	1362	S91 same S92	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 09:45
S94	539	S93 same (switch or rout\$3 )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 09:46
S95	10	S94 and S90	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 09:46
S96	853	((source or foreign) adj2 address )with ((loop adj1 back) or loopback)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 09:47
S97	86	((source or foreign) adj2 address )with ((loop adj1 back) or loopback) with (translat\$3 or chang\$3 or modify\$3 or map\$3 or replac\$3 )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/10 08:55
S98	10	((source or foreign) adj2 address )with ((loop adj1 back) or loopback) with (translat\$3 or chang\$3 or modify\$3 or map\$3 or replac\$3 )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 09:51
S99	10	((source or foreign or internal) adj2 address )with ((loop adj1 back) or loopback) with (translat\$3 or chang\$3 or modify\$3 or map\$3 or replac\$3 )	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 09:51
S100	6833	((destination or local or external) near2 address )with ( translat\$3 or modify\$3 or chang\$3 or transform\$3 or remov\$3 or replac\$3)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/02 09:52
S101	16	((destination or local or external) near2 address )with ( translat\$3 or modify\$3 or chang\$3 or transform\$3 or remov\$3 or replac\$3) with ((loop adj1 back) or loopback)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/11/10 08:57

S10 2 S10 3	83 2	S90 with (port or node or interface) ("20030177184").PN.	US-PGPUB; USPAT US-PGPUB; USPAT; EPO; DERWENT	OR OR	ON OFF	2005/11/02 11:28 2005/11/02 11:28
----------------------	---------	---	--	----------	-----------	--------------------------------------